

# AFRICAN SWINE FEVER SLOVAK EXPERIENCE



INFORMAL CVO MEETING, PRAGUE, SEPTEMBER 2022 PROF. JOZEF BIRES, DVM. SCI.,

CHIEF VETERINARY OFFICER SK

# CONTENT


- HISTORY OF ASF IN SLOVAKIA
- **RISK FACTORS FOR SPREADING OF DISEASE**
- POSITIVE PART OF THE STORY
- WORK OF NATIONAL EXPERT GROUP
- HUNTING MANAGEMENT ASF
- FARMERS SUPPORT








 SLOVAKIA HAS A POPULATION OF OVER FIVE AND A HALF MILLION INHABITANTS AND AN AREA OF ABOUT 49,000 SQUARE KILOMETERS (19,000 SQ MI).





HISTORY OF ASF


- NATURAL SPREAD VIA BORDER SK/HU FIRST CONFIRMATION - SUMMER 2019
- COMMON BORDER WITH HU- AREA PREVIOUSLY AFFECTED FOR LONGER PERIOD OF TIME
- FURTHER SPREAD IN THE PERIOD 2019-2022 NORTH -WEST DIRECTION
- ASF PRESENCE IN BOTH WILD BOAR AND DOMESTIC PIGS




## ASF SPREAD - SK - 2019-2021








### SK – ZONING- STATUS JULY 2022 + DISTRIBUTION OF BIG PIG HOLDINGS



© NLC, © GKÜ Bratislava, © ŠVPS SR 2022

### ASF SITUATION -- ZONING - SEPTEMBER 2022



# WILD BOAR SITUATION – SEPTEMBER 2022



- ALL POSITIVE RESULTS FROM PREVIOUSLY DETERMINED PART II AREAS
- SYSTEM OF ACTIVE/PASSIVE SURVEILLANCE IN PLACE
- THE DISTRICT VETERINARY AND FOOD ADMINISTRATION ARE CONTINUING IN PERFORMING OF CHECK OF HUNTING GROUNDS
- FROM SEPTEMBER 2022– HIGHER PAYMENTS FROM THE MINISTRY WITH THE GOAL TO ACHIEVE MORE RASANT DECREASE OF WB POPULATION IN NON-AFFECTED AREAS (100 EUR/PER HUNTED WB) - IN PIPELINE (SEE LAST SLIDE – FURTHER PROPOSED STEPS)

## ASF SK HISTORY- POSITIVE ASPECTS – EVALUATION I.



- USE OF EXPERIENCE FROM NEIGHBORING COUNTRIES (BALTIC COUNTRIES, PL, RO, BG, HU, CZ, BE...)
- TIMELY INTRODUCTION OF ASF VIRUS MONITORING IN WILD BOARS AND DOMESTIC PIGS
- PREPAREDNESS OF THE REFERENCE "WORKPLACE" LABORATORY FOR THE DIAGNOSIS OF ASF – SVI ZVOLEN
- USE OF EC CO-FINANCING PROCEDURES (GRANDS) BY PERFORMING FOR THE ACTIONS WITH ASF CONNECTED
- THE IMPLEMENTATION OF THE PROGRAMME OF BIOLOGICAL SECURITY (MEASURES) OF DOMESTIC PIG FARMS AGAINST THE INTRODUCTION OF THE ASF VIRUS INTO FARMS

# ASF SK HISTORY- POSITIVE ASPECTS EVALUATION II.

- INTERSECTORAL APPROACH IN ORDER TO SOLVE ASF IN SLOVAKIA (VETERINARIANS, BREEDERS, HUNTERS, PORK PROCESSORS, SLAUGHTERHOUSES, MINISTRIES, ETC.)
- EDUCATION AND PUBLIC AWARENESS (CONFERENCES, SEMINARS, TRAININGS, MEDIA, LEAFLETS...)
- NATIONAL AND EUROPEAN FINANCIAL RESOURCES
- IMPACT OF EC AUDITS ON ASF MANAGEMENT IN SLOVAKIA ( PROCEDURES, PROPER IMPLEMENTATION, SPACE FOR CHANGING AND IMPROVING THE SYSTEM AS SUCH)
- INTENSIVE AND OPEN COMMUNICATION WITH EC AND SURROUNDING MS

## ASF SK – HISTORY – NEGATIVE ASPECTS EVALUATION



- **HIGH WILD BOAR POPULATION CONTRIBUTING TO THE SPREAD OF ASF**
- ➢INSUFFICIENT PROTECTION OF DOMESTIC PIG FARMS AGAINST THE INTRODUCTION OF ASF VIRUS - SMALL BREEDERS!

**>ILLEGAL PURCHASE OF WEANLINGS AND PORK FROM RISK AREAS OF ASF IN PL, HU....** 

- THE COOPERATION BETWEEN PIG BREEDERS, PORK PROCESSORS AND TRADER THE LEVEL DOES NOT REACH THE EXPECTATIONS
- **>**SECURING OF FUNDS (FINANCES) FOR ASF INSPECTIONS AND MANAGEMENT

# THE WORK OF EXPERT GROUP – ASF


- RICH REPRESENTATION OF EXPERTS VETS, HUNTERS, PIG HOLDERS, BREEDERS, PIG MEAST PROCESSING SECTOR, REPRESENTATIVES OF RENDERING PLANT, REPRESEANTITIVES OF SCIENCE, RESEARCH AND PUBLIC ADMINISTRATION
- SEVERAL MEETINGS ORGANISED DURING 2022
- MAINLY IN FREE AREAS OR AREAS AT RISK




 OBJECTIVE: PROACTIVE APPROACH AS REGARDS ASF MANAGEMENT, PROPER APPLICATION OF MEASURES ORDERED BY VETERINARY AUTHORITY

• <u>EXPERIENCE</u>: SUBSEQUENT GREATER MOTIVATION, ENGAGEMENT AND ACTIVITY OF THOSE INVOLVED IN THE PROCESS OF FIGHTING ASF AND IMPLEMENTING THE ORDERED MEASURES

## ASF – WB INFECTED DISTRICTS – 2019-2022






Počet okresov SR s výskytom AMO (kumulatívne)


## WB development in the period 2010 - 2020

Problems determined / arise due to:

- Excessive infestation, weak impact on the required part of the population
- Local evidence of high density WB
- Significantly harder conditions for hunting in agricultural land
- High reproductive ability of wild boar



## **HUNTING OF WB**




## HUNTING 2021/2022

#### STRUCTURE OF HUNTED WB

( DOSPELÁ DIVIAČICA- ADULT FEMALE; DOSPLENÝ DIVAK- ADULT MALE;

LANŠTIAK SAMEC- LAST YEAR MALE; LANŠTIAK SAMICA – LÔAST YEAR FEMALE; DIVIAČIA- PIGLING)

DECREASING OF WB - FOLLOWING THE GENDER ( SAMEC- MALE, SAMICA-FEMALE, DIVIAČA - PIGLING)



# HUNTERS SUPPORT I.



- FINANCIAL CONTRIBUTIONS FOR HUNTING ACTIVITIES / SAMPLING OF
- DEAD WB ACTIVITES- QUESTION: IS IT ENOUGH IN ORDER TO ENCOURAGE THE HUNTERS FOR ACTION?


		nálezné			1	kafilérka ihneď	ulovený	uhynutý	kumulácia	1	kumulácia	
ob	olasť	odstrán/núhyn	vzorka úhyn	vzorka lov	maternica	po ulovení bez	pozitivny	pozitívny	1	kumulácia 2	3	
Be	ez obmei	0	10Eur	10Eur chorý	0	0	20Eur	20Eur	0+10+20	<b>10+</b> 20		
NZ	2	30Eur/ks	10Eur	10Eur	0	0	20Eur	20Eur	30+10+20	<b>10+</b> 20	3 <b>0+</b> 10	
Ра	irt I	30Eur/ks	10Eur	10Eur	0	0	20Eur	20Eur	30+10+20	10+20	30+10	
Ра	irt II	30Eur/ks	10Eur/max 10 vz/mes	10Eur	0	30	20Eur	20Eur	30+10+20	<b>10+</b> 20	3 <b>0+</b> 10	
Pa	rt III	30Eur/ks	10Eur/max 10 vz/mes	10Eur	0	30	20 Eur	20Eur	30+ <b>10+</b> 20	<b>10+</b> 20	30+10	
ku	kumulácia 1: nálezné a odstránenie úhyn 30 E/1 ks, vzorka úhyn 10E/1ks - (max 10 ks/mesiac/revír v Part II, III) + úhyn pozit 20E/1ks											
ku	imulácia	2: vzorka z lovu 10 E + 2	20 E pozit.									
ku	kumulácia 3: nálezné a neškodné odstránenie 30 E + 10 vzorka, negytívna na AMO											

# HUNTERS SUPPORT II.




- <u>COOLING BOXES</u> FOR HUNTED WB DISTRIBUTED IN THE HUNTING GROUNDS ALMOST 60% OF HG EQUIPPED (PART II, PART I, FREE ZONES – AROUND BIG PIG FARMS IN ORDER TO PROMOTE DECREASE DENSITY OF WB AND TO MITIGATE RISK OF TRANSMISSION OF ASF VIRUS FROM WB
- <u>SURVEILLANCE (PASSIVE)</u> <u>EFFECTIVE</u> ! **WHOLE TERRITORY** OF THE SLOVAK REPUBLIC – <u>EARLY DETECTION IN PLACE</u>, ESTABLISHED SYSTEM OF COLLECTION OF SAMPLES (TWICE /THREE TIMES PER WEEK) – PAID BY STATE – GOOD EXPERIENCE REGADING COOPERATION WITH HUNTERS (ALSO TRAINED FOR TAKING SAMPLES)
- <u>SURVEILLANCE (ACTIVE)</u> <u>SEVERAL PART OF SK- PART III, PART II</u> , PART I + BUFFER ZONE


Geographical distribution of samples submitted for ASFV investigation in wild boars in Slovakia during 2022 (January - August) - passive surveillance



Laboratory Investigations of ASF in wild boars in Slovakia during 2022 (January - August) - passive surveillance




Laboratory Investigations of ASF in wild boars in Slovakia during 2022 (January - August) - active surveillance



Geographical distribution of samples submitted for ASFV investigation in wild boars in Slovakia during 2022 (January - August) - active surveillance

virological



#### Prehľad priemernej doby medzi dátumom príjmu a odberu prijatých Pa-K vzoriek za obdobie od 01.01.2021 do 31.12.2021

RVPS Senec 4.84(58							4.84
RVPS Senica n.Myjavou 4.65(26							4.64
RVPS Serica RIVISJavou 4.05(20 RVPS Martin 4.5(12							4.5
RVPS Čadca 3.56(103					2	56	4.5
RVPS Svidník 3.53(1212					3.5		
RVPS Stará Ľubovňa 3.25(471	·				3.25	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
RVPS Stata Lubbyna 5.25(47) RVPS Galanta 3(3		-			3		
RVPS Trebišov 2.99(260					2.99		
RVPS Veľký Krtíš 2.96(2176	·				2.96		
RVPS Dolný Kubín 2.86(44					2.86		
RVPS Dunajská Streda 2.84(585					2.80		
RVPS Dunajska Streda 2.84(585 RVPS Nové Zámky 2.82(1557					.82		
RVPS Bratislava mesto 2.77(57				_	.02 77		
RVPS Bratislava mesto 2.77(57 RVPS Vranov n.Topľou 2.74(1309	·			2.7			
RVPS Vranov n. roprou 2.74(1309 RVPS Bardejov 2.74(1444				2.7			
RVPS bardejov 2.74(1444 RVPS Trenčín 2.67(58				2.67			
RVPS Trencin 2.07(58 RVPS Humenné 2.61(1845	·			2.61	r		
RVPS Humenne 2.01(1645 RVPS Zvolen 2.59(3389				2.59			
RVPS Zvolen 2.59(3389 RVPS Žiar n.Hronom 2.49(1905				2.39			
RVPS ZIar n.Hronom 2.49(1905 RVPS Prievidza 2.47(17				2.49			
				2.47			
RVPS Nitra 2.42(12				2.36			
RVPS Lučenec 2.36(2996	·						
RVPS Banská Bystrica 2.32(843				2.32			
RVPS Levice 2.28(2652 RVPS Žilina 2.28(125				2.28			
	*			2.28			
RVPS Michalovce 2.19(1306	·		_	2.19 .14			
RVPS Rim.Sobota 2.14(3085	·		_				
RVPS Komárno 2.08(1154			2.0	78			
RVPS Topoľčany 2(1			2				
RVPS Spišská Nová Ves 1.96(622							
RVPS Košice okolie 1.84(1789			1.84				
RVPS Trnava 1.67(18			1.67				
RVPS Liptovský Mikuláš 1.65(684			1.65				
RVPS Púchov 1.53(58			1.53				
RVPS Poprad 1.53(1573			1.53				
RVPS Košice mesto 1.48(351			.48				
RVPS Nové Mesto nad Váhom 1.3(46		1.3					
RVPS Rožňava 0.96(732		0.96					
RVPS Prešov 0.44(2376	0.44						
	0	1	2		3	4	



Interval

# HUNTERS SUPPORT III.



- <u>RENDERING-</u> SAFE DISPOSAL OF CARCASSES 70-80 % OF CARCASSES RENDERED BY RENDERING PLANT – THEY DO NOT "STAY" IN THE HUNTING AREA AND BURYING IS NOT USED (ONLY IN AROUND 20 %) – DISTRIBUTION OF TEMPORARY RENDERING BOXES ( LOCKABLE) BEFORE BEING TAKEN TO THE RENDERING PLANT – GOOD AND USEFUL TOOL HOW TO MITIGATE RISK AND HOW TO REHABILITATE THE ENVIRONMENT
- <u>TRAPS</u> USED IN THE CITIES ( CURRENT ACTION IN THE CAPITAL CITY OF BRATISLAVA)
- <u>SANITARY SHOOTING</u> PLANNED TO START THIS AUTUMN- EXPERIENCE USED FROM OTHER MS

HOWEVER

<u>FENCES/ODOUR FENCES</u> – NOT APPLIED - EFFICIENCY VERSUS FINANCIAL COSTS;
 COMPLICATED NAMING OF WHERE TO USE FENCES (LONG COMMON BORDER WITH HU
 /PL) WB ARE VERY CLEVER ANIMALS ☺

## **ASF - WB MANAGEMENT**

- NEW REGION AFFECTED <u>HUNTING BAN</u>ORDERED DURATION: AT LEAST 4 WEEKS- RE-INTRODUCTION OF HUNTING (ACTIVE SURVEILLANCE OBLIGATORY) AFTER EVALUATION OF THE SITUATION IN THE AREA (HG, FINDING OF DEAD POSITIVE WB, HUNTING BAG, THE WB POPULATION ASSESSMENT ETC....)
- <u>ACTIVE SEARCHING OF DEAD WB</u> USEFUL PRINCIPIALLY IN THE PERIOD OF HUNTING STANDSTILL +<u>SAMPLING</u>
- <u>REMOVAL OF WB FROM THE HG-</u>RENDERING PLANT !





## **FARMERS SUPPORT**



- CONTRIBUTION FOR DESINFECTION, DISINSECTION AND DERATISATION ACTIVITIES
- SPECIAL CHECKS OF PIG HOLDINGS PERFORMED IN CERTAIN AREAS AROUND BIG PIG FARMS
- SURVEILLANCE SYSTEM BY DEAD ANIMALS- SAMPLING/TESTING
- RENDERING ACTIVITIES PAID BY STATE
- MANAGEMENT OF OUTBREAKS COMPENSATIONS OF DIRECT AND INDIRECT LOSSES IN CASE OF OCCURRENCE ASF IN THE HOLDINGS
- RAISING AWARENESS RECOMMENDATIONS IN ORDER TO IMPROVE THE PROCEDURES IN PLACE

### SK EXPERIENCE- KEY ELEMENTS HOW TO MITIGATE THE RISK OF SPREADING (INTODUCTION) OF DISEASE IN THE HOLDING



- TO OBSERVE THE PRINCIPLES OF <u>BIOLOGICAL SAFETY IN FARMS</u> (THOROUGH FENCING OF THE FARM, DISINFECTION FORDS, RECORDING AND CONTROL OF THE MOVEMENT OF MEANS OF TRANSPORT AND PEOPLE, CHANGING CLOTHES OF EMPLOYEES AND VISITORS TO THE FARM, OBSERVING THE BLACK AND WHITE SYSTEM)
- PREVENT THE INTRUSION OF WILD BOARS INTO THE FARM AREA, OR/AND THEIR CONTACT WITH FEED AND LITTER
- RESPECT THE **BAN ON FEEDING KITCHEN WASTE** AND BOAR MEAT PRODUCTS
- PROHIBITION TO STORE FEED FOR PIGS WITHIN "REACH" OF WILD BOARS
- PROHIBITION TO STORE BEDDING STRAW WITHIN "REACH" OF WILD BOARS MIN. 90 DAYS BEFORE ITS USE
- REGULAR CLINICAL EXAMINATIONS OF ANIMALS IN THE HOLDINGS
- + IDENTIFICATION AND REGISTRATION OF PIG HOLDINGS- OBLIGATION! NOT ALWAYS RESPECTED ! RISK!!!

## **RISK FACTORS IDENTIFIED FOR DOMESTIC PIGS**

- BREEDING DENSITY AND SIZE
- FREE RANGE
- INFECTED NEIGHBORING FARM
- FARM VISITS
- FACTORS RELATED TO TRADE DENSITY OF THE ROAD NETWORK, MAIN ROAD ROUTES, DISTRIBUTION OF DENSITY OF FARMS / PIG POPULATION
- **RELOCATION ( MOVEMENTS) OF INFECTED ANIMALS**
- GEOGRAPHICAL FACTORS



### Evaluation of stategical approach and challenges – ASF fight – SK

Positive evaluation of the current situation	Challenges
<ul> <li>Stop spreading disease into new regions ( for the time being)-WB</li> <li>Average shooting ( hunting) per 100 km2 increased by 300%</li> <li>We managed to eradicate outbreaks of ASF infection in domestic pigs – no new suspicions</li> <li>ASF expert group work – described in the previous slide – positive effect of the awareness /actions taken</li> <li>ASF cofinancing of the activities by the EC in 2022 and expected to be continuing in 2023</li> </ul>	<ul> <li>areas in order to reduce significantly the population of WB</li> <li>Selective hunting</li> <li>Insufficient amount as well as the differentiation of the amounts for individual areas and gender of WB</li> <li>Biological measures of the pigs holding – leveling up and</li> </ul>

## FURTHER PROPOSED STEPS

- REGULATION OF HUNTING REGARDLESS OF THE DEGREE OF NATURE PROTECTION (THROUGH A REGULATION OF THE GOVERNMENT OF THE SLOVAK REPUBLIC)
- REGULATION OF HUNTING ON NON-HUNTING AREAS (PROTECTION OF INTRAVILLAGE) (THROUGH A
   REGULATION OF THE GOVERNMENT OF THE SLOVAK REPUBLIC)
- THE AMOUNT OF THE SHOOTING FEE FOR THE BUFFER ZONE : €100/PC, REGARDLESS OF THE AGE AND GENDER OF THE HUNTED PIECE OF WB (BLUE ZONE- PART I AREAS )
- THE AMOUNT OF THE SHOOTING FEE FOR THE ZONE WITHOUT THE OCCURRENCE OF ASF: €100/PIECE PER FEMALE, REGARDLESS OF AGE (WHITE ZONE)
- CONSISTENT DIRECT IMPLEMENTATION OF MEASURES ORDERED BY DISTRICT AUTHORITIES (RESOLUTION OF THE SLOVAK GOVERNMENT NO. 436 OF JULY 21, 2021)
- IF NECESSARY, EXPANSION OF THE BUFFER ZONE FURTHER NEXT TO BORDER DISTRICTS IN THE WHITE ZONE WITH HU, PL, OR DEPENDING ON THE DEVELOPMENT OF THE INFECTIOUS SITUATION WITH CZ
- TO DEVELOP THE STRATEGY TO SUPPORT THE PLACEMENT OF WILD GAME ON THE INTERNAL MARKET OF THE SLOVAK REPUBLIC (MINISTRY REPONSIBILITY )
- EXTENSIVE MEDIA CAMPAIGN (MINISTRY TASK )



# THANK YOU FOR YOUR ATTENTION

